

## Port of Southampton Passage Planning Depths

Date of Issue 14th June 2024

Latest Passage Planning Depth (PPD) shown Red or Green

Advertised Design Depths (ADD) shown in Blue, also see the current Port of Southampton Tide Tables

Dredge Area	PPD	ADD	Current Survey	Comments
<b>Western Docks</b>				
101 Berth Step	3.0	4.1	2024_H015	Not maintained
101 Berth	10.5	10.5	2024_H015	iso 10.3m
102/3 Berths	10.5	10.5	2024_H015	
104 Berth	10.5	10.5	2024_H015	iso 10.2
105 Berth	11.5	11.7	2024_H015	
106 Berth	11.5	11.7	2024_H015	
107 Berth	11.3	11.7	2024_H015	iso 11.2m
108/109 Berth	10.9/10.7	11.7	2024_H015	
109 Berth Step	2.8	5.5	2024_H015	shoaling towards quay
King George V Dock	9.8	9.8	2024_H015	
110 Berth	7.5	10.2	2024_H015	not maintained, shoaling in NW corner
SCT 5	16.5	16.5	2024_H015	sholing edge of pocket 16m @ 62m from quay
203 Berth	8.3	9.1	2024_H015	shoaling along quay esatern end to 7.9m
SCT 4	13.4	13.6	2024_H015	shoal mid berth bollard 220 SouthEastwards
SCT 3	14.0	14.0	2024_H015	Iso 13.7m. 13.8m silt patches
SCT 2	15.0	15.1	2024_H015	15m silt patches
SCT 1	15.1	15.1	2024_H015	iso 15m patches
SCT 1 Tug Shelf	5.5	6.0	2024_H015	Shoaling in West Corner 5.4m

Navigable depths have been assessed by the Port Hydrographer, based on acoustic (echo sounder) measurements and other information such as sweeping with the plough vessel. [Any soundings depicted on the current survey chart of less than the passage planning depth are considered to be due to very light material (e.g. fluid mud) and will not be felt as "Hard Bottom"]. The Vessel Master and Pilot must allow for any effects on ship handling.

## Port of Southampton Passage Planning Depths

Date of Issue 14th June 2024

Latest Passage Planning Depth (PPD) shown Red or Green

Advertised Design Depths (ADD) shown in Blue, also see the current Port of Southampton Tide Tables

Dredge Area	PPD	ADD	Current Survey	Comments
<b>Eastern Docks</b>				
20 Berth	6.5	7.5	2024_H010	Less than 5m inside gut off bollards 1 - 2
21 Berth	4.3	7.5	2023_H042v2	Shoaling to 3.3m on fuel berth
22 Berth	6.8	6.8	2023_H042v2	
23 Berth	6.8	6.8	2024_H015	quay wall damage south of berth/ex DD inset
24 Berth	7.1	7.1	2024_H015	shoaling to 6m up against quay
25 Berth	7.1	7.1	2024_H015	shoaling to 6m up against quay
26 Berth	7.1	7.1	2024_H015	
27 Berth	7.1	7.1	2024_H015	
29 Berth	5.5	5.8	2024_H015	shoaling beyond old linkspan bridge pad & to E
31/32 Berth	9.1	9.1	2024_H015	
33 Berth	9.1	9.1	2024_H015	
34 Berth	9.4	9.9	2024_H015	significant shoaling in north end of pocket
35 Berth	9.7	9.9	2024_H015	
36 Berth	9.7	9.9	2024_H015	
37 Berth	7.8	7.8	2024_H015	iso 7.4m
38 Berth	10.5	10.5	2024_H015	iso 10.2 bollard 2
39 Berth	10.5	10.5	2024_H015	
40 Berth	9.2	9.3	2024_H015	
41 Berth	8.6	8.7	2024_H015	iso 8.5m
43 Berth	11.7	11.7	2024_H015	shoaling in pocket south of bollard 1
44 Berth	11.7	11.7	2024_H015	iso 11.6
45 Berth	10.2	10.2	2024_H015	shoaling to 10m at north end
46 Berth	10.5	10.5	2024_H015	shoaling to 9.9m at north end
47 Berth	11.7	11.7	2024_H015	iso 11.6m, shoaling on pocket edges
48 Berth	7.0	7.1	2024_H015	approaches iso 6.8m
49 Berth	7.1	7.1	2023_H042v2	approaches iso 6.8m
50 Berth	1.9	4.2	2023_H042v2	shoaling to 1.2m from Bollard 2 northwards
Ocean Dock	10.5	10.5	2024_H015	iso 10.3m off 44 pocket & shoaling to 7.3m in N corner
App Ocean Dock	10.5	10.5	2024_H015	iso 10.2m NW of entrance
Lower Itchen Above Empress	8.9	9.1	2024_H015	shoaling to east of channel, iso 8.5m
Empress Dock	7.5	7.8	2024_H015	shoaling in North of Dock
Lower Itchen Below Empress	9.1	9.1	2024_H015	Shoaling on east of channel to 8.8m
Itchen Bridge Approach	3.0	3.0	2022_H022	Least depth along track to Itchen Bridge

Navigable depths have been assessed by the Port Hydrographer, based on acoustic (echo sounder) measurements and other information such as sweeping with the plough vessel. [Any soundings depicted on the current survey chart of less than the passage planning depth are considered to be due to very light material (e.g. fluid mud) and will not be felt as "Hard Bottom"]. The Vessel Master and Pilot must allow for any effects on ship handling.

## Port of Southampton Passage Planning Depths

Date of Issue 14th June 2024

Latest Passage Planning Depth (PPD) shown Red or Green

Advertised Design Depths (ADD) shown in Blue, also see the current Port of Southampton Tide Tables

Dredge Area	PPD	ADD	Current Survey	Comments
<b>Other Areas</b>				
Marchwood Wharf	3.2	4.0	2023_H038	
Cracknore Jetty (ex. Husbands	3.2	4.2	2021_H053	
SGL Mulberry Jetty (No.1-2)	4.2	4.9	2022_H020	
SGL Falkland Jetty (No.3-4)	8.5	8.5	2022_H039	iso 8.3 - 8.4m Shoals in approach.
SGL Gun Wharf Jetty (No.5)	4.4	4.9	2022_H020	
SGL Gun Wharf Jetty (No.6)	2.7	3.0	2022_H020	
Princes Wharf	2.0	2.0	2024_H005	iso 1.6m outside edge of berth pocket.
Saxon Wharf	2.5	2.5	2022_H022	
Dibles Wharf	1.9	2.2	2022_H022	
Dibles Gut	1.3	2.0	2022_H022	
Crown & Leamouth Wharves	2.9	3.0	2024_H016	shoaling south end towards Britannia Wharf.
Britannia Wharf	2.0	2.2	2024_H016	shoaling alongside quay 1m
Phoenix Wharf	2.4	2.4	2024_H016	shoaling north and south quay.
Burnley Wharf	1.6	2.0	2024_H016	shoaling 1.6m
Centenary Wharf (North)	6.3	6.3	2024_H016	
Solent Refit Approaches	6.7	6.7	2019_H072	
BP Hamble	12.7	13.6	2024_H017	berth restricted see chart.
BP Hamble Approaches	11.2	11.2	2024_H011	iso 10.9m
FMT 1	10.2	10.2	2024_H014	
FMT 1 Approaches	10.2	10.2	2024_H014	
FMT 2	12.6	12.6	2024_H014	
FMT 2 Approaches	10.2	10.2	2024_H014	
FMT 3	12.6	12.6	2024_H014	
FMT 3 Approaches	12.6	12.6	2024_H014	
FMT 4	14.9	14.9	2024_H014	
FMT 4 Approaches	13.2	13.2	2024_H014	
FMT 5	14.9	14.9	2024_H014	
FMT 5 Approaches	13.2	13.2	2024_H014	
FMT 6	5.6	5.6	2024_H014	
FMT 7	5.6	5.6	2024_H014	
FMT 8	5.6	5.6	2024_H014	
FMT 9	6.6	6.6	2024_H014	
FMT Coastal Approach (6-9)	5.6	5.6	2024_H014	
Fawley Power Station	1.5	2.4	2021_H026	shoaling within basin to 0.8m and -0.6m north quay
Solent Refit Approaches	1.4	1.4		

Navigable depths have been assessed by the Port Hydrographer, based on acoustic (echo sounder) measurements and other information such as sweeping with the plough vessel. [Any soundings depicted on the current survey chart of less than the passage planning depth are considered to be due to very light material (e.g. fluid mud) and will not be felt as "Hard Bottom"]. The Vessel Master and Pilot must allow for any effects on ship handling.

## Port of Southampton Passage Planning Depths

Date of Issue 14th June 2024

Latest Passage Planning Depth (PPD) shown Red or Green

Advertised Design Depths (ADD) shown in Blue, also see the current Port of Southampton Tide Tables

Channel	Dredge Area	PPD	ADD	Current Survey	Comments
	Eling Channel	0.8	-0.8	2021_H051	
	Soton Container Terminal	13.0	13.0	2024_H015	shoaling to 12.7m ivo Eling & 12.9m nr SCT5, iso 12.6m
	Bury Swinging Ground	9.7	10	2024_H015	Shoaling at edges
	Bury Reach	13.0	13.0	2024_H015	shoaling to 12.8m on channel edges ivo Bury & Millbrook
	Upper Swinging Ground	13.2	13.2	2024_H015	shoaling to 12.8m within 40m of channel edges
	Western Docks	13.2	13.2	2024_H015	shoaling to 13m on channel edges & to 12.6m ivo 104 berth
	Marchwood Channel	2.0	3.0	2022_H015	
	Middle Swinging Ground	13.2	13.2	2024_H015	shoaling to 12.7m N of Pierhead buoy
	Middle Swinging Ground Ext	13.2	13.2	2024_H015	
	Junction Channel	13.1	13.2	2024_H015	shoaling to 12.6m on channel edges
	Lower Swinging Ground MC	13.2	13.2	2024_H015	shoaling to 13.1m
	Lower Swinging Ground Itchen	10.2	10.2	2024_H015	shoaling to 9.8m on channel edges
	NW Netley to Dock Head	13.2	13.2	2024_H014	iso 12.9m on channel edges
	Greenland to Hound	13.2	13.2	2024_H014	iso 13m
	Natural Deep	13.2	13.2	2024_H014	Pipeline not maintained 12.5m, iso 13m south of pipeline
	Hook to Fawley Reach	13.6	13.6	2024_H014	iso 12.3m shoals S of Esso 5
	Calshot Turn Outer	12.2	12.6	2024_H014	shoaling on E side at North Chn entrance
	North Thorn to Hook	13.4	13.6	2024_H014	iso 13m calshot turn shoals
	North Channel	4.2	4.2	2023_H032	shoaling on channel edges. Iso 3.8m
	South Bramble	13.4	13.6	2024_H014	iso 13m centre channel and 12.6m channel edges
	Nab Channel	14.4	14.4	2024_H014	iso 14.1m Western side of channel
	Prince Consort shoals			2024_H014	see chart - 11.4m 115m NNW of PC buoy 8.7m shoal 64m W of PC buoy

## Water Density Measurements

Measured from surface samples at the locations and dates detailed below

2021 Monthly Averages	SCT	USG	MSG	JC	DH	SW	Calshot	Central Solent
January	1021.549	1022.51	1020.913	1021.452	1021.405	1023.747	1024.93	1025.156
February	1020.826	1022.288	1021.553	1021.452	1021.405	1022.296	1024.93	1025.671
March	1021.798	1022.763	1022.177	1022.691	1023.093	1023.386	1022.86	1025.671
April	1023.139	1023.066	1022.177	1023.815	1023.585	1025.227	1025.769	1025.671
May	1022.482	1022.925	1021.718	1022.442	1023.465	1024.291	1024.724	1025.671
June	1021.623	1022.375	1021.247	1022.216	1021.746	1022.709	1023.05	1024.21
July	1019.61	1020.924	1019.679	1021.869	1021.854	1022.276	1023.538	1023.722
August	1021.801	1022.407	1019.679	1022.208	1021.722	1022.464	1023.538	1023.827
September	1022.763	1022.69	1021.497	1022.872	1022.534	1023.089	1023.538	1023.827
October	1023.432	1022.199	1023.483	1022.087	1022.534	1023.71	1023.538	1023.827

Densities given in this report are averages of those measured over Flood, HW Stand and Ebb tidal states

Full information is available from the Port Hydrographic Office